



- 1) EASY APPLICATION**
- 2) THICKER COATS - UP TO 4mm**
- 3) NO PRIMER COAT REQUIRED**
- 4) BETTER PAINT ADHESIVENESS**



# Gyproc **CHAMPION** PUTTY

## IT TAKES MANY ADVANTAGES TO MAKE A CHAMPION

Gyproc Champion not only offers 'Best Ever Coverage', its special formulation ensures superior water resistance preventing flaking of paint even when the walls dampen. It saves you time and money because it does not require a coat of primer before application of paint. It will keep painters and workers happy due to its '**NO HANDBURNS**' property. Like all Saint-Gobain Gyproc products, Champion Putty is manufactured under quality systems, independently audited and certified as conforming to ISO 9001:2001

## TECHNICAL SPECIFICATIONS

- **Colour on Application** : Milky White
- **Pot Life** : 180 Minutes
- **Fineness** : 99% passing through 150 Microns sieve
- **Coverage** : 20-25\* Sq ft/Kg in double coat
- **Recommended Mixing Ratio** : 400-500 ml water/Kg of putty
- **Available Sizes** : 5 kg, 20 kg and 40 Kg

\* Coverage is based at 1mm thickness under laboratory conditions

## APPLICATION INSTRUCTIONS:



**1.** Clean the wall surface with wire brush, sand paper or blade to remove all loose particles



**2.** Pre-wet / dampen the wall with sponge



**3.** Mix Gyproc Champion Putty to water (& not vice versa) in a ratio of 2:1 & stir thoroughly to make a thick paste



**4.** Apply first coat starting from bottom to upward direction with putty blade.



**5.** Wait for 3 to 4 hours or complete drying



**6.** Sand the surface with fine mery paper (400 Grit) to remove blade scratch marks if any



**7.** Apply 2nd coat of putty with the blade.



**8.** Wait for 3 to 4 hours or complete dry surface & Paint the surface once the putty surface becomes smooth without any scratch marks



**EXCLUSIVELY FOR INTERIOR APPLICATION ONLY. NOT FOR EXTERIOR APPLICATION**

## For usage guidelines and orders contact :

SAINT-GOBAIN GYPROC INDIA LTD. 5<sup>th</sup> Level, Leela Business Park, Andheri Kurla Road, Andheri East, Mumbai - 400 059. Tel.: +91 22 4021 2121, Fax: +91 22 4021 2392

### Branch Offices :

Ahmedabad : Tel.: (079) 66052564 / 65

Bengaluru : Tel.: (080) 41213131, 41518107

Chandigarh : Tel.: (0172) 5085168

Chennai : Tel.: (044) 26211260 / 261

Coimbatore : Tel.: (0422) 4374830

Delhi NCR : Tel.: (0120) 4061800

E-mail : [gyprocindia@saint-gobain.com](mailto:gyprocindia@saint-gobain.com)

Hyderabad : Tel.: (040) 66626858

Jaipur : Tel.: (0141) 4006308

Kolkata : Tel.: (033) 22891241, 22891242

Kochi : Tel.: (0484) 2544409

Lucknow : Tel.: (0522) 2618727

Pune : Tel.: (020) 26431702, 26436851

Website : [www.saint-gobaingyproc.in](http://www.saint-gobaingyproc.in)